Recombinant Human SAA2/Serum Amyloid A2 Protein (His Tag)

Catalog Number: PKSH033532

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description			
Species	Human		
Source	E.coli-derived Human SAA2/Serum Amyloid A2 protein Arg19-Tyr122, with an N-		
	terminal His		
Calculated MW	13.2 kDa		
Observed MW	14 kDa		
Accession	AAH20795.1		
Bio-activity	Not validated for activity		
Properties			
Purity	> 95 % as determined by reducing SDS-PAGE.		
Endotoxin	< 1.0 EU per µg of the protein as determined by the LAL method.		
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80		
	°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of		
	reconstituted samples are stable at $< -20^{\circ}$ C for 3 months.		
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.		
Formulation	Lyophilized from a 0.2 µm filtered solution of 20mM PB, 150mM NaCl, 1mM EDTA,		
	pH 7.4.		
	Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants		
	before lyophilization.		
	Please refer to the specific buffer information in the printed manual.		
Reconstitution	Please refer to the printed manual for detailed information.		



kDa 120 90 60	MK	R
00	and the second	and the second s
40	-	
30	-	
20	-	
14	-	-

> 95 % as determined by reducing SDS-PAGE.

Background

Serum amyloid A-2 protein (SAA2) belongs to the SAA family. It expressed by the liver and secreted in plasma. SAA2 functions as major acute phase reactant and could works as apolipoprotein of the HDL complex. Increased levels of A-SAA in serum are indicative of inflammatory disease. When highly expressed, SAA can displace ApoA1 as the major apolipoprotein in HDL complexes, weakening the function of HDL as a reverse (lipid clearing) cholesterol transporter. A highly charged region of SAA2 and SAA1 (aa 36-68) contains putative fibronectin- and laminin-binding motifs. This region also binds heparin sulfate proteoglycans at mildly acidic pH and promotes aggregation of A-SAA.

For Research Use Only