Elabscience Biotechnology Co., Ltd.





Recombinant Mouse CCL12 Protein(Trx Tag)

Catalog Number: PDEM100197

Note: Centrifuge before opening to ensure complete recovery of vial contents.

\mathbf{r}		crin				
H))	PS	C	r٦	n	tı	On

Species Mouse

Source E.coli-derived Mouse CCL12 protein Gly23-Gly104, with an N-terminal Trx

 Mol_Mass
 28.9 kDa

 Accession
 Q62401

Bio-activity Not validated for activity

Properties

Purity > 90% as determined by reducing SDS-PAGE.

Endotoxin < 10 EU/mg of the protein as determined by the LAL method

Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80

°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.


ShippingThis product is provided as lyophilized powder which is shipped with ice packs.FormulationLyophilized from a 0.2 μm filtered solution in PBS with 5% Trehalose and 5%

Mannitol.

Reconstitution It is recommended that sterile water be added to the vial to prepare a stock solution of

0.5 mg/mL. Concentration is measured by UV-Vis

Data



SDS-PAGE analysis of Mouse CCL12 proteins, 2 µg/lane of Recombinant Mouse CCL12 proteins was resolved with SDS-PAGE under reducing conditions, showing bands at 32

KD

Background

Ccl12 prevented initiation of the reparative response by prolonging inflammation and inhibiting fibroblast conversion to myofibroblasts, resulting in diminished scar formation. Macrophage secretion of Ccl12 directly impaired fibronectin and collagen deposition and indirectly stimulated collagen degradation through upregulation of matrix metalloproteinase-2. In post-MI patients, circulating LPS levels strongly associated with the Ccl12 homologue monocyte chemotactic protein 1 (MCP-1). Both MCP-1 and MCP-5 are HIF-1 target genes and that HIF-1alpha is involved in transcriptional induction of these two chemokines in astrocytes by hypoxia.

For Research Use Only