

A Reliable Research Partner in Life Science and Medicine

# Recombinant Rabbit TNFα Protein(His Tag)

Catalog Number: PDMO100005

Note: Centrifuge before opening to ensure complete recovery of vial contents.

#### Description

Species Rabbit

HEK293 Cells-derived Rabbit TNFA protein Gly57-Leu235, with an C-terminal His Source

**Calculated MW** 20.0 kDa Observed MW 18 kDa Accession P04924

Not validated for activity **Bio-activity** 

#### **Properties**

**Purity** > 90% as determined by reducing SDS-PAGE.

**Endotoxin** < 1.0 EU/mg of the protein as determined by the LAL method

Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -Storage

80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.


This product is provided as lyophilized powder which is shipped with ice packs. Shipping **Formulation** 

Lyophilized from a 0.2 µm filtered solution in PBS with 5% Trehalose and 5%

Reconstitution It is recommended that sterile water be added to the vial to prepare a stock solution

of 0.5 mg/mL. Concentration is measured by UV-Vis.

#### Data



SDS-PAGE analysis of Rabbit TNFα proteins, 2 μg/lane of Recombinant Rabbit TNFα proteins was resolved with SDS-PAGE under reducing conditions, showing bands at 18 kDa.

### **Background**

Cytokine that binds to TNFRSF1A/TNFR1 and TNFRSF1B/TNFBR. It is mainly secreted by macrophages and can induce cell death of certain tumor cell lines. It is potent pyrogen causing fever by direct action or by stimulation of interleukin-1 secretion and is implicated in the induction of cachexia, Under certain conditions it can stimulate cell proliferation and induce cell differentiation. Induces insulin resistance in adipocytes via inhibition of insulin-induced IRS1 tyrosine phosphorylation and insulin-induced glucose uptake. Induces GKAP42 protein degradation in adipocytes which is partially responsible for TNF-induced insulin resistance. Plays a role in angiogenesis by inducing VEGF production synergistically with IL1B and IL6.

## For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017

Web: www.elabscience.com Email: techsupport@elabscience.com