

## **HL-1 Cell Complete Medium**

Cat. No. : CM-0605 Size:125mL×4

### **General Information**

Product Form	Liquid
Concentration	Ready-to-use
Components	MEM, with NEAA(PM150410)+Nutrients
<b>Bacterial detection</b>	Negative
Fungal detection	Negative
Mycoplasmal detection	Negative
Endotoxin level	≤3 EU/mL
Shipping Conditions	Ice bag
Storage	2-8°C ,Shading Light
Expiry date	6 months

#### **Product Introduction**

HL-1 Cell Complete Medium is a ready-to-use medium that can be directly used for the culture of HL-1 cells, which is carefully designed and optimized by Pricella's R&D team based on MEM, with NEAA basal medium. This highquality complete medium has been strictly verified by HL-1 cells which could promote cell proliferation and maintain cell properties.

#### **Guidelines for use**

- 1. Pricella's cell culture media undergoes strictquality control to ensure sterility, but may get contaminated during use. Follow these guidelines for sterile handling toavoid contamination.
- 2. Always wipe your gloved hands and work area with 70% ethanol.
- Wipe the outside of the containers, flasks, plates, and dishes with 70% ethanol before placing them in the cell 3. culture hood.
- 4. Use sterile pipette tips and pipettes to work with liquids, and use each pipette tip only once to avoid crosscontamination.Do not unwrap sterile pipettes until they are ready to beused. Keep pipettes and tips within the clean work area.
- 5. Do not talk while performing sterile procedures and perform your cell culture as efficiently and carefully as possible tominimize contamination.

# Quality control

by Elabscience Standard evaluations for cell culture media are pH, osmolality, endotoxins and sterility testing for liquid products, cell growth experiments .

## **Matters Needing Attention**

- This product is for research use only. 1.
- 2. This product is sterilized by 0.1 µm filtration.
- It is not suitable for long time storage at room temperature. 3.
- This product is a ready-to-use medium. If there is no special need, don't add serum, penicillin and streptomycin. 4. It can be used directly.