Elabscience®

NFKBIB Polyclonal Antibody

catalog number: E-AB-68381

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Reactivity	Human;Mouse;Rat
Immunogen	Recombinant fusion protein of human NFKBIB
Host	Rabbit
Isotype	IgG
Purification	Affinity purification
Buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.
Applications	Recommended Dilution
WB	1:500-1:2000
IHC	1:50-1:200

Data



Western blot analysis of extracts of various cell lines using NFKBIB Polyclonal Antibody at 1:1000 dilution.

> Observed-MW:40-50 kDa Calculated-MW:35 kDa/37 kDa





Immunohistochemistry of paraffin-embedded rat lung using NFKBIB Polyclonal Antibody at dilution of 1:200 (40x lens).Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining



Immunohistochemistry of paraffin-embedded human liver cancer using NFKBIB Polyclonal antibody at dilution of 1:200 (40x lens).Perform microwave antigen retrieval with 10 1:200 (40x lens).Perform microwave antigen retrieval with mM PBS buffer pH 7.2 before commencing with IHC

staining protocol.

Immunohistochemistry of paraffin-embedded human kidney cancer using NFKBIB Polyclonal antibody at dilution of 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.

Preparation & Storage	
Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	The product is shipped with ice pack, upon receipt, store it immediately at the temperature recommended

Background

For Research Use Only

Toll-free: 1-888-852-8623 Web:www.elabscience.com

Tel: 1-832-243-6086 Email:techsupport@elabscience.com

Elabscience®

The protein encoded by this gene belongs to the NF-kappa-B inhibitor family, which inhibit NF-kappa-B by complexing with, and trapping it in the cytoplasm. Phosphorylation of serine residues on these proteins by kinases marks them for destruction via the ubiquitination pathway, thereby allowing activation of the NF-kappa-B, which translocates to the nucleus to function as a transcription factor. Alternatively spliced transcript variants have been found for this gene.

For Research Use Only