
## AF/LE Purified Anti-Human CD41 Antibody[HIP8]

## catalog number: E-AB-F10880

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Reactivity	Human
Immunogen	Recombinant Human CD41 protein
Host	Mouse
Isotype	Mouse IgG1, ĸ
Clone	HIP8
Purification	>98%, Protein A/G purified
Buffer	Sterile PBS, pH 7.2. $<$ 1.0 EU per mg of the antibody as determined by the LAL method

<b>FCM</b> 2 μg/m	$hL(1 \times 10^5 - 5 \times 10^5 \text{ cells})$
Data	



Human peripheral blood platelets were stained with 0.2  $\mu$ g AF/LE Purified Anti-Human CD41 Antibody[HIP8] (Right) and 0.2  $\mu$ g Mouse IgG1,  $\kappa$  Isotype Control (Left), followed by Alexa Fluor® 647-conjugated Goat Anti-Mouse IgG

Secondary Antibody.

Preparation & Storage	
Storage	Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze /
	thaw cycles. This preparation contains no preservatives, thus it should be handled
	under aseptic conditions.
Shipping	Ice bag
Background	

CD41 is a  $125/25 \text{ kD} \alpha$  subunit of the gpIIb/IIIa (CD41/CD61) complex. CD41 is a heterodimer composed of a heavy chain (gpIIb $\alpha$ ) and light chain (gpIIb $\beta$ ) linked by a single disulfide bond. It is a member of the integrin family primarily expressed on platelets and megakaryocytes. CD41 has been reported to be involved with platelet aggregation and platelet attachment to the ECM. CD41/CD61 complex acts as the receptor for fibrinogen, fibronectin, Von Willebrand factor and thrombin.

## For Research Use Only