Elabscience®


S100A9 Polyclonal Antibody

catalog number: E-AB-62904

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Reactivity	Human;Mouse;Rat
Immunogen	Recombinant fusion protein of human S100A9 (NP_002956.1).
Host	Rabbit
Isotype	IgG
Purification	Affinity purification
Buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.
Applications	Recommended Dilution
WB	1:500-1:2000
IHC	1:50-1:200


Data




Western blot analysis of extracts of Mouse spleen using S100A9 Polyclonal Antibody at dilution of 1:1000.

Observed-MW:13 kDa

Calculated-MW:13 kDa



Immunohistochemistry of paraffin-embedded Rat spleen



Immunohistochemistry of paraffin-embedded Mouse spleen using S100A9 Polyclonal Antibody at dilution of 1:100 (40x lens).

For Research Use Only

Toll-free: 1-888-852-8623 Web:www.elabscience.com


4020 35kDa 15kD -S100A9 10kD

Western blot analysis of extracts of Rat spleen using S100A9

Polyclonal Antibody at dilution of 1:1000.

Observed-MW:13 kDa

Calculated-MW:13 kDa



Immunohistochemistry of paraffin-embedded Human tonsil using S100A9 Polyclonal Antibody at dilution of 1:100 (40x using S100A9 Polyclonal Antibody at dilution of 1:100 (40x lens).

Elabscience®

Elabscience Bionovation Inc. A Reliable Research Partner in Life Science and Medicine

Preparation & Storage	
Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	The product is shipped with ice pack, upon receipt, store it immediately at the temperature recommended.

Background

The protein encoded by this gene is a member of the S100 family of proteins containing 2 EF-hand calcium-binding motifs. S100 proteins are localized in the cytoplasm and/or nucleus of a wide range of cells, and involved in the regulation of a number of cellular processes such as cell cycle progression and differentiation. S100 genes include at least 13 members which are located as a cluster on chromosome 1q21. This protein may function in the inhibition of casein kinase and altered expression of this protein is associated with the disease cystic fibrosis. This antimicrobial protein exhibits antifungal and antibacterial activity.

For Research Use Only