

CLTC Polyclonal Antibody

catalog number: E-AB-13153

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity	Human;Mouse;Rat
Immunogen	Synthetic peptide of human CLTC
Host	Rabbit
Isotype	IgG
Purification	Affinity purification
Buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.

Applications


Applications	Recommended Dilution
WB	1:200-1:1000
IHC	1:50-1:200

Data




Western Blot analysis of NIH/3T3 and HeLa cell using CLTC Polyclonal Antibody at dilution of 1:300


Calculated-MV:192 kDa




Immunohistochemistry of paraffin-embedded Human gastric cancer using CLTC Polyclonal Antibody at dilution of 1:60



Immunohistochemistry of paraffin-embedded Human thyroid cancer using CLTC Polyclonal Antibody at dilution of 1:60



Immunohistochemistry of paraffin-embedded Brain, Cortex tissue using CLTC Polyclonal Antibody at dilution of 1:60 (Elabscience Product Detected by Lifespan).



Immunohistochemistry of paraffin-embedded Placenta tissue using CLTC Polyclonal Antibody at dilution of 1:60 (Elabscience Product Detected by Lifespan).

Preparation & Storage

For Research Use Only

Toll-free: 1-888-852-8623
Web: www.elabscience.com

Tel: 1-832-243-6086
Email: techsupport@elabscience.com

Fax: 1-832-243-6017

Rev. V1.6

Storage

Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping

The product is shipped with ice pack, upon receipt, store it immediately at the temperature recommended.

Background

Clathrin is a major protein component of the cytoplasmic face of intracellular organelles, called coated vesicles and coated pits. These specialized organelles are involved in the intracellular trafficking of receptors and endocytosis of a variety of macromolecules. The basic subunit of the clathrin coat is composed of three heavy chains and three light chains.

For Research Use Only