



A Reliable Research Partner in Life Science and Medicine

DRD1 Polyclonal Antibody

catalog number: E-AB-15589

Note: Centrifuge before opening to ensure complete recovery of vial contents.

\mathbf{T}			ption				
	മേ	C I	9	7	п	OΠ	î
ய	CO.	U		ш	ш	UL	

Reactivity Human

Immunogen Synthetic peptide of human DRD1

Host Rabbit Isotype IgG

PurificationAffinity purificationConjugationUnconjugated

Buffer Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.

Applications Recommended Dilution

WB 1:500-1:2000

Data

120— 85— 80— 35— 35— 35—

Western Blot analysis of Hela cell using DRD1 Polyclonal

Antibody at dilution of 1:500

Calculated-MW:49 kDa

Preparation & Storage

Storage Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

Background

This gene encodes the D1 subtype of the dopamine receptor. The D1 subtype is the most abundant dopamine receptor in the central nervous system. This G-protein coupled receptor stimulates adenylyl cyclase and activates cyclic AMP-dependent protein kinases. D1 receptors regulate neuronal growth and development, mediate some behavioral responses, and modulate dopamine receptor D2-mediated events. Alternate transcription initiation sites result in two transcript variants of this gene.

For Research Use Only