A Reliable Research Partner in Life Science and Medicine

# Recombinant Human UBE2G2 Protein (GST Tag)

Catalog Number: PKSH033184

Note: Centrifuge before opening to ensure complete recovery of vial contents.

### **Description**

**Species** Human

Source E.coli-derived Human UBE2G2 protein Met 1-Leu165, with an N-terminal GST

Calculated MW 45.0 kDa Observed MW 43 kDa Accession P60604

**Bio-activity** Not validated for activity

#### **Properties**

Purity > 95 % as determined by reducing SDS-PAGE.

Concentration Subject to label value.

Endotoxin < 1.0 EU per µg of the protein as determined by the LAL method.

Store at < -20°C, stable for 6 months. Please minimize freeze-thaw cycles. Storage


This product is provided as liquid. It is shipped at frozen temperature with blue ice/gel Shipping

packs. Upon receipt, store it immediately at < - 20°C.

Supplied as a 0.2 µm filtered solution of 50mM HEPES, 150mM NaCl, 2mM DTT, Formulation

10% Glycerol, pH 7.5.

#### Data



> 95 % as determined by reducing SDS-PAGE.

## Background

Ubiquitin-Conjugating Enzyme E2 G2 (UBE2G2) is an important cellular mechanism for targeting abnormal or short-lived proteins for degradation, which belong to the ubiquitin-conjugating enzyme family. It shares 60% and 100% sequence identity with S.cerevisiae Ubc7 and mouse respectively. The UBE2G2 enzyme and the GP78 E3 ligase are active components of endoplasmic reticulum-associated degradation pathway which is essential for the degradation of misfolded ER proteins. The mechanism of K48-linked poly-ubiquitination by UBE2G2/GP78 appears to involve the transfer of preassembled Ub chains from UBE2G2 to lysine residues in a substrate. The E2 and E3 enzymes form a large hetero-oligomer which brings multiple UBE2G2 molecules into close proximity which allows for Ub transfer between neighboring E2s.

For Research Use Only