## **Elabscience**®

## MC2R Polyclonal Antibody

catalog number: E-AB-12555

Note: Centrifuge before opening to ensure complete recovery of vial contents.

| Description                                              |                                                                                    |
|----------------------------------------------------------|------------------------------------------------------------------------------------|
| Reactivity                                               | Human;Mouse                                                                        |
| Immunogen                                                | Synthetic peptide of human MC2R                                                    |
| Host                                                     | Rabbit                                                                             |
| Isotype                                                  | IgG                                                                                |
| Purification                                             | Affinity purification                                                              |
| Conjugation                                              | Unconjugated                                                                       |
| Buffer                                                   | Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol. |
| Applications                                             | Recommended Dilution                                                               |
| WB                                                       | 1:1000-1:5000                                                                      |
| Data                                                     |                                                                                    |
|                                                          | 8                                                                                  |
|                                                          | 8-<br>1-                                                                           |
|                                                          | 5-<br>4-                                                                           |
|                                                          | 3- <b></b>                                                                         |
|                                                          | 2-                                                                                 |
|                                                          |                                                                                    |
| Western Blot analysis of Human fetal kidney tissue using |                                                                                    |
| MC2R Polyclonal Antibody at dilution of 1:1400           |                                                                                    |
| Calculated-MW:34 kDa                                     |                                                                                    |
| Preparation & Storage                                    |                                                                                    |
| Storage                                                  | Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.                    |
| 0                                                        | The product is shipped with ice pack, upon receipt, store it immediately at the    |
| Shipping                                                 |                                                                                    |
|                                                          | temperature recommended.                                                           |

## Background

MC2R encodes one member of the five-member G-protein associated melanocortin receptor family. Melanocortins ( melanocyte-stimulating hormones and adrenocorticotropic hormone) are peptides derived from pro-opiomelanocortin ( POMC). MC2R is selectively activated by adrenocorticotropic hormone, whereas the other four melanocortin receptors recognize a variety of melanocortin ligands. Mutations in MC2R can result in familial glucocorticoid deficiency.