A Reliable Research Partner in Life Science and Medicine

# Recombinant Human SULT2A1 Protein (His Tag)

Catalog Number: PKSH031126

Note: Centrifuge before opening to ensure complete recovery of vial contents.

#### Description

Species Human

Source E.coli-derived Human SULT2A1 protein Ser 2-Glu 285, with an N-terminal His

Calculated MW 34.5 kDa
Observed MW 35 kDa
Accession NP\_003158.2

**Bio-activity** Not validated for activity

#### **Properties**

**Purity** > 97 % as determined by reducing SDS-PAGE.

**Endotoxin** Please contact us for more information.

**Storage** Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80

°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

**Shipping** This product is provided as lyophilized powder which is shipped with ice packs.

**Formulation** Lyophilized from sterile 50mM Tris, 500mM NaCl, 20% glycerol, pH 8.0


Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants

before lyophilization.

Please refer to the specific buffer information in the printed manual.

**Reconstitution** Please refer to the printed manual for detailed information.

### Data



> 97 % as determined by reducing SDS-PAGE.

## Background

Hydroxysteroid sulfotransferase (SULT2A1) is a key enzyme in the testicular and hepatic metabolism of 5alpha-androstenone, which is a major component of the off-odor and off-flavor in pork known as boar taint. Sulfotransferase enzymes catalyze the sulfate conjugation of many hormones, neurotransmitters, drugs, and xenobiotic compounds. These cytosolic enzymes are different in their tissue distributions and substrate specificities. The gene structure (number and length of exons) is similar among family members. SULT2A1 is a sulfo-conjugating phase II enzyme expressed at very high levels in the liver and intestine, the two major first-pass metabolic tissues, and in the steroidogenic adrenal tissue. SULT2A1 acts preferentially on the hydroxysteroids dehydroepiandrosterone, testosterone/dihydrotestosterone, and pregnenolone and on cholesterol-derived amphipathic sterol bile acids.

### For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017