

## Recombinant Human Ube2H Protein (GST Tag)

**Catalog Number:** PKSH033316

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.


### Description

<b>Species</b>	Human
<b>Source</b>	E.coli-derived Human Ube2H protein Met 1-Leu183, with an N-terminal GST
<b>Mol_Mass</b>	47.0 kDa
<b>Accession</b>	P62256
<b>Bio-activity</b>	Not validated for activity

### Properties

<b>Purity</b>	> 90 % as determined by reducing SDS-PAGE.
<b>Endotoxin</b>	< 1.0 EU per µg of the protein as determined by the LAL method.
<b>Storage</b>	Store at < -20°C, stable for 6 months. Please minimize freeze-thaw cycles.
<b>Shipping</b>	This product is provided as liquid. It is shipped at frozen temperature with blue ice/gel packs. Upon receipt, store it immediately at < -20°C.
<b>Formulation</b>	Supplied as a 0.2 µm filtered solution of 50mM HEPES, 150mM NaCl, 2mM DTT, 10% Glycerol, pH 7.5.
<b>Reconstitution</b>	Not Applicable

### Data



> 90 % as determined by reducing SDS-PAGE.

### Background

Ubiquitin-Conjugating Enzyme E2 H (UBE2H) belongs to the E2 Ubiquitin-Conjugating Enzyme family. The modification of proteins with ubiquitin is an important cellular mechanism for targeting abnormal or short-lived proteins for degradation. Ubiquitination involves at least three classes of enzymes: ubiquitin-activating enzymes; or E1s; ubiquitin-conjugating enzymes; or E2s; and ubiquitin-protein ligases; or E3s. It has been shown to conjugate ubiquitin to histone H2A in an E3 dependent manner in vitro. UBE2H is the human homolog to the yeast DNA repair gene RAD6; which is induced by DNA damaging reagents. UBE2H has been associated with cancer-induced cachexia and with the regulation of sepsis-induced muscle proteolysis.

### For Research Use Only