

## TNM-FH medium for insect Cells (Glucose free)

**Cat. No. :** PM152013

**Size:** 500ml

### General Information

<b>Product Form</b>	Liquid
<b>Concentration</b>	1 ×
<b>pH</b>	7.2-7.4
<b>D-Glucose</b>	Negative
<b>Sodium Bicarbonate (NaHCO<sub>3</sub>)</b>	350 mg/L
<b>L-Glutamine</b>	4.1 mM
<b>HEPES</b>	Negative
<b>D(-)-Fructose</b>	Negative
<b>D (+)-Sucrose</b>	Negative
<b>Lactalbumin Hydrolysate</b>	3333.3 mg/L
<b>Liquid Yeast Autolysate</b>	3333.3 mg/L
<b>Storage</b>	2-8°C, Shading Light
<b>Shipping</b>	Room Temperature
<b>Expiration date</b>	12 months

### Background

TNM-FH medium is an improved Grace's insect medium. After proper supplementation, it can be used for the culture of various Lepidoptera insect cells.

TNM-FH medium contains amino acids, vitamins, inorganic salts and other ingredients required for various types of cell culture, but does not contain protein, lipids or any growth factors, so this product needs to be used with serum or serum-free additives.

### Guidelines for use

Pricella's cell culture media undergoes strict quality control to ensure sterility, but may get contaminated during use. Follow these guidelines for sterile handling to avoid contamination.

1. Always wipe your gloved hands and work area with 70% ethanol.
1. Wipe the outside of the containers, flasks, plates, and dishes with 70% ethanol before placing them in the cell culture hood.
2. Use sterile pipette tips and pipettes to work with liquids, and use each pipette tip only once to avoid cross-contamination. Do not unwrap sterile pipettes until they are ready to be used. Keep pipettes and tips within the clean work area.
3. Do not talk while performing sterile procedures and perform your cell culture as efficiently and carefully as possible to minimize contamination.

### Quality control

Standard evaluations for cell culture media are pH, osmolality, endotoxins and sterility testing for liquid products, cell growth experiments .

## Notes

1. This product is for research use only.
2. This product is sterilized by 0.1 µm filtration.
3. It is necessary to pay attention to the aseptic operation and avoid the contamination.

**Pricella®**  
by Elabscience

**Pricella®**  
by Elabscience

**Pricella®**  
by Elabscience

**Pricella®**  
by Elabscience