

RPS28 Polyclonal Antibody

catalog number: E-AB-18026

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

Reactivity	Human;Mouse;Rat
Immunogen	Synthetic peptide of human RPS28
Host	Rabbit
Isotype	IgG
Purification	Antigen affinity purification
Buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.


Applications Recommended Dilution

WB	1:500-1:2000
IHC	1:40-1:200

Data




Western blot analysis of 293T and PC3 cell Mouse spleen tissue 231 cell Human breast cancer tissue Mouse kidney tissue lysates using RPS28 Polyclonal Antibody at dilution of 1:200



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using RPS28 Polyclonal Antibody at dilution of 1:30(×200)

Observed-MW:Refer to figures

Calculated-MW:8 kDa



Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using RPS28 Polyclonal Antibody at dilution of 1:30(×200)

Preparation & Storage

Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	The product is shipped with ice pack,upon receipt,store it immediately at the temperature recommended.

Background

For Research Use Only

Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 40S subunit. The protein belongs to the S28E family of ribosomal proteins. It is located in the cytoplasm. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through the genome.