## **Elabscience**®

## **CAV1** Polyclonal Antibody

catalog number: E-AB-16228

Note: Centrifuge before opening to ensure complete recovery of vial contents.

| Description   |  |
|---|--|
| Reactivity  | Human;Mouse;Rat  |
| Immunogen   | Synthetic peptide of human CAV1  |
| Host  | Rabbit   |
| Isotype   | IgG  |
| Purification  | Affinity purification  |
| Conjugation   | Unconjugated   |
| Buffer  | Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol. |
| Applications  | Recommended Dilution   |
| WB  | 1:500-1:2000   |
| Data  |  |
| Western Blot analysis of Human leiomyosarcoma tissue<br>using CAV1 Polyclonal Antibody at dilution of 1:525 |  |
| Calculated-MW:20 kDa  |  |
| Preparation & Storage   |  |
|   | Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.                    |
| Storage   | -  |
| Shipping  | The product is shipped with ice pack, upon receipt, store it immediately at the    |

Background

The scaffolding protein encoded by this gene is the main component of the caveolae plasma membranes found in most cell types. The protein links integrin subunits to the tyrosine kinase FYN, an initiating step in coupling integrins to the Ras-ERK pathway and promoting cell cycle progression. The gene is a tumor suppressor gene candidate and a negative regulator of the Ras-p42/44 mitogen-activated kinase cascade. Caveolin 1 and caveolin 2 are located next to each other on chromosome 7 and express colocalizing proteins that form a stable hetero-oligomeric complex. Mutations in this gene have been associated with Berardinelli-Seip congenital lipodystrophy. Alternatively spliced transcripts encode alpha and beta isoforms of caveolin 1.

temperature recommended.