


## GSTM1 Polyclonal Antibody

catalog number: E-AB-91795

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.

| Description  |                                                                                    |
|--------------|------------------------------------------------------------------------------------|
| Reactivity   | Human;Mouse;Rat                                                                    |
| Immunogen    | Recombinant fusion protein of human GSTM1                                          |
| Host         | Rabbit                                                                             |
| Isotype      | Rabbit IgG                                                                         |
| Purification | Affinity purification                                                              |
| Buffer       | Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol. |
| Applications | Recommended Dilution                                                               |
| WB           | 1:500-1:2000                                                                       |

## Data



Western blot analysis of extracts of various cell lines  
using Polyclonal Antibody at 1:1000 dilution.

**Observed-MW:28 kDa**

**Calculated-MW:21 kDa/25 kDa**

| Preparation & Storage |                                                                                                          |
|-----------------------|----------------------------------------------------------------------------------------------------------|
| Storage               | Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.                                          |
| Shipping              | The product is shipped with ice pack, upon receipt, store it immediately at the temperature recommended. |

## Background

Cytosolic and membrane-bound forms of glutathione S-transferase are encoded by two distinct supergene families. At present, eight distinct classes of the soluble cytoplasmic mammalian glutathione S-transferases have been identified: alpha, kappa, mu, omega, pi, sigma, theta and zeta. This gene encodes a glutathione S-transferase that belongs to the mu class. The mu class of enzymes functions in the detoxification of electrophilic compounds, including carcinogens, therapeutic drugs, environmental toxins and products of oxidative stress, by conjugation with glutathione. The genes encoding the mu class of enzymes are organized in a gene cluster on chromosome 1p13.3 and are known to be highly polymorphic. These genetic variations can change an individual's susceptibility to carcinogens and toxins as well as affect the toxicity and efficacy of certain drugs. Null mutations of this class mu gene have been linked with an increase in a number of cancers, likely due to an increased susceptibility to environmental toxins and carcinogens. Multiple protein isoforms are encoded by transcript variants of this gene. [ provided by RefSeq, Jul 2008]

## For Research Use Only

Toll-free: 1-888-852-8623  
Web: [www.elabscience.com](http://www.elabscience.com)

Tel: 1-832-243-6086  
Email: [techsupport@elabscience.com](mailto:techsupport@elabscience.com)

Fax: 1-832-243-6017

Rev. V1.8