
Recombinant CD44 Monoclonal Antibody

catalog number: AN300039P

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Reactivity	Human
Immunogen	Recombinant Human CD44 protein
Host	Rabbit
Isotype	IgG
Clone	9F4
Purification	Protein A
Buffer	0.2 μm filtered solution in PBS
Applications	Recommended Dilution
ICC/IF	1:20-1:100
Data	



Immunofluorescence analysis of Human CD44 in Hela cells. Cells were fixed with 4% PFA, blocked with 10% serum, and incubated with rabbit anti-Human CD44 Monoclonal Antibody (1:60) at 37°C 1 hour. Then cells were stained with the Alexa Fluor® 488-conjugated Goat Anti-rabbit IgG secondary antibody (green) and counterstained with DAPI for nuclear staining (blue). Positive staining was localized to cells membrane.

Preparation & Storage	
Storage	This antibody can be stored at 2°C-8°C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when
	stored at -20°C to -80°C. Preservative-Free. Avoid repeated freeze-thaw cycles.
Shipping	Ice bag
Background	
CD44 is a 80-95 kD gly	coprotein also known as Hermes, Pgp1, H-CAM, or HUTCH. It is expressed on all leukocytes,

CD44 is a 80-95 kD glycoprotein also known as Hermes, Pgp1, H-CAM, or HUTCH. It is expressed on all leukocytes, endothelial cells, hepatocytes, and mesenchymal cells. As B and T cells become activated or progress to the memory stage, CD44 expression increases from a low or mid level of intensity to high expression levels. Thus, CD44 has been reported to be a valuable marker for memory cell subsets. CD44 is an adhesion molecule involved in leukocyte attachment to and rolling on endothelial cells, homing to peripheral lymphoid organs and to the sites of inflammation, and leukocyte aggregation.