## Recombinant Human BRD4 (N-10His-Flag)

Catalog Number: PKSH033982



Note: Centrifuge before opening to ensure complete recovery of vial contents. Description **Species** Human 49.0 kDa Mol Mass Accession O60885 Not validated for activity **Bio-activity Properties** > 90 % as determined by reducing SDS-PAGE. Purity Endotoxin < 1.0 EU per µg of the protein as determined by the LAL method. Store at  $< -20^{\circ}$ C, stable for 6 months. Please minimize freeze-thaw cycles. Storage Shipping This product is provided as liquid. It is shipped at frozen temperature with blue ice/gel packs. Upon receipt, store it immediately at  $< -20^{\circ}$ C. Supplied as a 0.2 µm filtered solution of 50mM HEPES, 200mM NaCl, 1mM DTT, Formulation 10% Glycerol, pH 7.5. Reconstitution Not Applicable

## Data

kDa	MK	R
120 90	-	
60		-
40	-	1000
30		
20	-	
14	_	

> 90 % as determined by reducing SDS-PAGE.

## Background

Bromodomain-containing protein 4 (BRD4) is a member of the BET class chromatin reader proteins that bind acetylated histones and play a key role in transcriptional regulation and transmission of epigenetic memory. Remains associated with acetylated chromatin throughout the entire cell cycle and provides epigenetic memory for postmitotic G1 gene transcription by preserving acetylated chromatin status and maintaining high-order chromatin structure. BRD bromodomains serve as recognition motifs for acetylated lysine residues on histones, while the NET domain may function by promoting phosphorylation of the C-terminal domain (CTD) of RNA Polymerase II. Some specific inhibitors of BRD4 that prevent binding to acetylated histones by binding Asn-140 and Asn-433 are promising therapeutic molecules for the treatment of leukemias. BRD4 is a potential therapeutic target in many diseases including breast cancer, AML, multiple myeloma, colon cancer and others.

## For Research Use Only