Recombinant Cynomolgus CD7/Leu-9 (C-6His)

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Catalog Number: PKSQ050118



Description **Species** Cynomolgus macaques Mol Mass 17.2 kDa Accession A0A2K5VA16 Not validated for activity **Bio-activity Properties** > 95 % as determined by reducing SDS-PAGE. Purity Endotoxin < 1.0 EU per µg of the protein as determined by the LAL method. Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 Storage °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at $< -20^{\circ}$ C for 3 months. This product is provided as lyophilized powder which is shipped with ice packs. Shipping Formulation Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4. Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual. Please refer to the printed manual for detailed information. Reconstitution

kDa	МК	R
120 90		
60		
40	-	
30	-	
20	-	
14	_	

> 95 % as determined by reducing SDS-PAGE.

Background

Data

T-Cell Antigen CD7 is a single-pass type I membrane protein that that belongs to the the immunoglobulin superfamily. Human CD7 is synthesized as a 240 amino acid precursor that contains a 25 amino acid signal sequence and a 215 amino acid mature chain with a Ig-like (immunoglobulin-like) domain. CD7 is normally expressed on all T-lymphocytes, NK-cells, pre-B lymphocytes and pleuripotent hematopoietic stem cells. CD7 plays an essential role in T-cell interactions, T-cell/Bcell interaction during early lymphoid development, T- and NK-cell activation and cytokine production. CD7 has been shown to interact with PIK3R1and SECTM1. However, the function of the CD7 protein in the immune system is still largely unknown.

For Research Use Only