

Recombinant Phospho-AKT (Ser473) Monoclonal Antibody

catalog number: **AN300086L**

Note: *Centrifuge before opening to ensure complete recovery of vial contents.*

Description


Reactivity	Human;Mouse;Rat
Immunogen	A synthetic phosphopeptide corresponding to residues around Ser473 of human AKT.
Host	Rabbit
Isotype	IgG
Clone	A1196
Purification	Protein A
Buffer	0.2 µm filtered solution in PBS

Applications

Recommended Dilution


WB: 1:1000-1:5000; IHC-P: 1:100-1:200

Data



Western blot detection of Phospho-AKT (Ser473) in C6, 3T3, HeLa cell lysates using Phospho-AKT (Ser473) antibody (1:1000 diluted).

Observed-MW: 56 kDa
Calculated-MW: 56 kDa



Western blot analysis of extracts from LNCaP cells at 1:500.

Observed-MW: 56 kDa
Calculated-MW: 56 kDa

Preparation & Storage

Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	Ice bag

Background

The serine-threonine protein kinase encoded by the AKT1 gene is catalytically inactive in serum-starved primary and immortalized fibroblasts. AKT1 and the related AKT2 are activated by platelet-derived growth factor. The activation is rapid and specific, and it is abrogated by mutations in the pleckstrin homology domain of AKT1. It was shown that the activation occurs through phosphatidylinositol 3-kinase. In the developing nervous system AKT is a critical mediator of growth factor-induced neuronal survival. Survival factors can suppress apoptosis in a transcription-independent manner by activating the serine/threonine kinase AKT1, which then phosphorylates and inactivates components of the apoptotic machinery. Mutations in this gene have been associated with the Proteus syndrome. Multiple alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Jul 2011]

For Research Use Only

Toll-free: 1-888-852-8623
Web: www.elabscience.com

Tel: 1-832-243-6086
Email: techsupport@elabscience.com

Fax: 1-832-243-6017

Rev. V1.5