
Cleaved-CASP3 p17 (D175) Polyclonal Antibody


catalog number: E-AB-30004

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Reactivity	Human;Mouse;Rat
Immunogen	Synthesized peptide derived from the Internal region of human Caspase-3 p17
Host	Rabbit
Isotype	IgG
Purification	Affinity purification
Buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer, 0.5% protein
	protectant and 50% glycerol.
Applications	Recommended Dilution
WB	1:500-2000
IHC	1:50-300
IF	1:50-300


Data





Western Blot analysis of various cells using Cleaved-CASP3 p17 (D175) Polyclonal Antibody at dilution of 1:1000.

Observed-MW:20 kDa



Immunohistochemistry of paraffin-embedded Human stomach cancer tissue using Cleaved-CASP3 p17 (D175) Polyclonal Antibody at dilution of 1:200.

Immunofluorescence analysis of Rat liver tissue using Cleaved-CASP3 p17 (D175) Polyclonal Antibody at dilution of 1.200

	01 1.200.
Preparation & Storage	
Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	The product is shipped with ice pack, upon receipt, store it immediately at the temperature recommended.

Background

For Research Use Only

Tel: 1-832-243-6086 Email:techsupport@elabscience.com

Elabscience®

Involved in the activation cascade of caspases responsible for apoptosis execution. At the onset of apoptosis it proteolytically cleaves poly(ADP-ribose) polymerase (PARP) at a '216-Asp-Gly-217' bond. Cleaves and activates sterol regulatory element binding proteins (SREBPs) between the basic helix-loop-helix leucine zipper domain and the membrane attachment domain. Cleaves and activates caspase-6, -7 and -9. Involved in the cleavage of huntingtin.

For Research Use Only