

S-tag Polyclonal Antibody

catalog number: **E-AB-40522**

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description


Reactivity	All
Immunogen	Synthetic peptide corresponding to S tag conjugated to keyhole limpet haemocyanin
Host	Rabbit
Isotype	IgG
Purification	Antigen Affinity Purification
Buffer	PBS with 0.05% Proclin300, 1% protective protein and 50% glycerol, pH7.4

Applications

Recommended Dilution

WB	1:2000-1:4000
-----------	---------------

Data



Western blot with Anti S-tag Polyclonal Antibody at dilution of 1:2000. Lane 1:S-Tag fused recombinant protein 200ng,Lane 2:S-Tag fused recombinant protein 100ng.

Observed-MW:40 kDa

Calculated-MW:15-22 kDa

Preparation & Storage

Storage	Store at -20°C Valid for 12 months . Avoid freeze / thaw cycles .
Shipping	The product is shipped with ice pack, upon receipt, store it immediately at the temperature recommended.

Background

S tag is an epitope tag composed of a 15 residue peptide, KETAAAKFERQHMS, derived from the pancreatic ribonuclease A. This interactive complex (S - tag/S - protein) results in micromolar affinity– dependent upon pH, temperature, and ionic strength . T

For Research Use Only