

Recombinant Thymidylate Synthase Monoclonal Antibody

catalog number: AN301812L


Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity	Human;Rat;Mouse
Immunogen	Recombinant human Thymidylate Synthase fragment
Host	Rabbit
Isotype	IgG, κ
Clone	A524
Purification	Protein A purified
Buffer	PBS, 50% glycerol, 0.05% Proclin 300, 0.05% protein protectant.

Applications

Applications	Recommended Dilution
WB	1:500-1:2000
IF	1:50
FCM	1:50-1:100



Immunofluorescent analysis of (4% Paraformaldehyde) fixed Jurkat cells using anti-Thymidylate Synthase Monoclonal Antibody at dilution of 1:50.

Preparation & Storage

Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	Ice bag

Background

Thymidylate synthase is a homodimer composed of two 30 kDa subunits, which catalyze the methylation of deoxyuridine monophosphate (dUMP) to deoxythymidine monophosphate (dTMP), an essential step in the formation of thymine nucleotides. Thymidylate synthase is an intracellular enzyme that provides the sole de novo source of thymidylate, making it a required enzyme in DNA biosynthesis with activity highest in proliferating cells. Being the exclusive source of dTMP, investigators have concluded that TS is also an important target for anticancer agents such as 5-fluorouracil (5-FU). 5-FU acts as a TS inhibitor and is active against solid tumors such as colon, breast, head, and neck.

For Research Use Only