



A Reliable Research Partner in Life Science and Medicine

Human COMP Antibody Pair Set

Catalog No. E-KAB-0261 Applications ELISA

Synonyms EDM1, EPD1, MED, PSACH, THBS5, TSP-5

Kit components & Storage

Title	Specifications	Storage
Human COMP Capture Antibody	1 vial, 100 μ g	Store at -20°C for one year.
		Avoid freeze / thaw cycles.
Human COMP Detection Antibody	1 vial, 50 μL	Store at -20°C for one year.
(Biotin)		Avoid freeze / thaw cycles.

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Product Information

Items		Characteristic (E-KAB-0261)	
		Human COMP Capture Antibody	Human COMP Detection Antibody
			(Biotin)
Immunogen	Immunogen	Recombinant Human COMP protein	Recombinant Human COMP protein
Information	Swissprot	P49747	
Product details	Reactivity	Human	Human
	Host	Mouse	Rabbit
	Conjugation	Unconjugated	Biotin
	Concentration	0.5mg/mL	/
	Buffer	PBS with 0.04% Proclin 300, 50%	PBS with 0.04% Proclin 300, 1%
		glycerol, pH 7.4	protective protein, 50% glycerol, pH
			7.4
	Purify	Protein A	Protein A & Antigen Affinity
	Specificity	Detects Human COMP in ELISAs.	

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Web: www.elabscience.com Email: techsupport@elabscience.com



A Reliable Research Partner in Life Science and Medicine

Applications

Human COMP Sandwich ELISA Assay:

	Recommended	Reagent	Images
	Concentration/Dilution		
ELISA	0.5-4μg/mL	Human COMP Capture Antibody	
Capture			in the state of th
ELISA Detection	1:1000-1:10000	Human COMP Detection Antibody (Biotin)	Optical Density
			Human COMP concentration(ng/mL)

Note: This standard curve is only for demonstration purposes. A standard curve should be generated for each assay!

Background

The protein encoded by this gene is a noncollagenous extracellular matrix (ECM) protein. It consists of five identical glycoprotein subunits, each with EGF-like and calcium-binding (thrombospondin-like) domains. Oligomerization results from formation of a five-stranded coiled coil and disulfides. Binding to other ECM proteins such as collagen appears to depend on divalent cations. Mutations can cause the osteochondrodysplasias pseudochondroplasia (PSACH) and multiple epiphyseal dysplasia (MED).

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Web: www.elabscience.com Email: techsupport@elabscience.com