

A Reliable Research Partner in Life Science and Medicine

Recombinant Mouse GITR/TNFRSF18 Protein(Fc Tag)

Catalog Number: PDMM100179

Note: Centrifuge before opening to ensure complete recovery of vial contents.

			•	ption		
	PC	Cr	m	tı.	nη	
\mathbf{L}	\mathbf{c}	CI.	цу	ш	υш	

Species Mouse

Source Mammalian-derived Mouse GITR/TNFRSF18 proteins Gln20-His 153, with an C-

terminal Fc

Calculated MW39.6 kDaObserved MW50 kDaAccessionO35714

Bio-activity Not validated for activity

Properties

Purity > 90% as determined by reducing SDS-PAGE.

Endotoxin < 1.0 EU/mg of the protein as determined by the LAL method

Storage Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80

°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.


ShippingThis product is provided as lyophilized powder which is shipped with ice packs.FormulationLyophilized from a 0.2 μm filtered solution in PBS with 5% Trehalose and 5%

Mannitol

Reconstitution It is recommended that sterile water be added to the vial to prepare a stock solution of

0.5 mg/mL. Concentration is measured by UV-Vis.

Data



SDS-PAGE analysis of Mouse GITR/TNFRSF18 proteins, 2 µg/lane of Recombinant Mouse GITR/TNFRSF18 proteins was resolved with SDS-PAGE under reducing conditions, showing bands at 50 KD

Background

GITR, also known as TNFRSF18(CD357), belongs to the tumor necrosis factor receptor (TNF-R) superfamily. It is the receptor for TNFSF18. GITR plays a key role in dominant immunological self-tolerance maintained by CD25(+)CD4(+) regulatory T cells. GITR may be involved in interactions between activated T-lymphocytes and endothelial cells and in the regulation of T-cell receptor-mediated cell death. GITR and its ligand are important costimulatory molecules in the pathogenesis of autoimmune diseases. It also mediates NF-kappa-B activation via the TRAF2/NIK pathway.

For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017