# Elabscience Biotechnology Co., Ltd.



A Reliable Research Partner in Life Science and Medicine

# **MMP2** Polyclonal Antibody

catalog number: E-AB-70057

Note: Centrifuge before opening to ensure complete recovery of vial contents.

### Description

Reactivity Human; Mouse; Rat

Immunogen KLH conjugated Synthetic peptide corresponding to Mouse MMP2

Host Rabbit Isotype IgG

Purification Affinity purification
Conjugation Unconjugated

**Buffer** Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer, 1% protein

protectant and 50% glycerol.


Applications Recommended Dilution

**IHC** 1:500-1:2000


### Data




Immunohistochemistry analysis of paraffin-embedded human colon cancer using MMP2 Polyclonal Antibody at dilution of 1:500.



Immunohistochemistry analysis of paraffin-embedded rat colon using MMP2 Polyclonal Antibody at dilution of 1:500.



Immunohistochemistry analysis of paraffin-embedded mouse uterus using MMP2 Polyclonal Antibody at dilution of 1:500.



Immunohistochemistry analysis of paraffin-embedded Human Spleen using MMP2 Polyclonal Antibody(Elabscience Product Detected by Lifespan).

## Preparation & Storage

Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

**Shipping** The product is shipped with ice pack, upon receipt, store it immediately at the

Web: www.elabscience.cn

temperature recommended.

## Background

## For Research Use Only



# Elabscience Biotechnology Co., Ltd.

A Reliable Research Partner in Life Science and Medicine

MMP2, also named as CLG4A, Gelatinase Am, TBE-1 and PEX, belongs to the peptidase M10A family. It is ubiquitinous metalloproteinase that is involved in diverse functions such as remodeling of the vasculature, angiogenesis, tissue repair, tumor invasion, inflammation, and atherosclerotic plaque rupture. MMP2 contributes to myocardial oxidative stress by regulating the activity of GSK3beta. It cleaves GSK3beta in vitro. MMP2 can be cleaved into PEX chain(~60kd). Western blot analysis showed that the 72 kDa and 62 kDa proteinase activities were pro-MMP2 and the active enzyme, respectively.

Web: www.elabscience.cn