
Recombinant Human TSTA3/SDR4E1 Protein (His Tag)

Catalog Number: PKSH032483

Note: Centrifuge before opening to ensure complete recovery of vial contents.

| Description | |
|---------------|---|
| Species | Human |
| Source | Ecoli-derived Human TSTA3;SDR4E1 protein Met 1-Lys321, with an C-terminal His |
| Calculated MW | 37.0 kDa |
| Observed MW | 40 kDa |
| Accession | Q13630 |
| Bio-activity | Not validated for activity |
| Properties | |
| Purity | > 95 % as determined by reducing SDS-PAGE. |
| Concentration | Subject to label value. |
| Endotoxin | < 1.0 EU per µg of the protein as determined by the LAL method. |
| Storage | Store at $<$ -20°C, stable for 6 months. Please minimize freeze-thaw cycles. |
| Shipping | This product is provided as liquid. It is shipped at frozen temperature with blue ice/gel |
| | packs. Upon receipt, store it immediately at $< -20^{\circ}$ C. |
| Formulation | Supplied as a 0.2 µm filtered solution of 20mM Tris-HCl, 150mM NaCl, pH 8.0. |
| Data | |
| kDa | MK |
| 120 | e Elabor |



> 95 % as determined by reducing SDS-PAGE.

Background

GDP-L-Fucose Synthase is a NADP(H)-binding protein. It catalyzes the two-step epimerase and the reductase reactions in GDP-D-mannose metabolism, converting GDP-4-keto-6-D-dexoymannose to GDP-L-fucose. GDP-L-Fucose is the substrate of several fucosyltransferase, involving the expression of mamy glycoconjugates, including blood group ABH antigens and development adhesion antigens. Mutations in the TSTA3 gene may cause leukocyte adhesion deficiency type II.