## **Elabscience**®

## **DIO1 Polyclonal Antibody**

## catalog number: E-AB-11137

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description		
Description	Human	
Reactivity		
Immunogen	Recombinant protein of human DIDO1	
Host	Rabbit	
Isotype	IgG	
Purification	Affinity purification	
Buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.	
Applications	Recommended Dilution	
IHC	1:50-1:200	
Data		
-	f paraffin-embedded Human thyroid	Immunohistochemistry of paraffin-embedded Human
-	01 Polyclonal Antibody at dilution	cervical cancer tissue using DIO1 Polyclonal Antibody at
cancer tissue using DIO	-	
cancer tissue using DIO Preparation & Storage	01 Polyclonal Antibody at dilution 1:60	cervical cancer tissue using DIO1 Polyclonal Antibody at dilution 1:60
cancer tissue using DIO	01 Polyclonal Antibody at dilution 1:60 Store at -20°C Valid for 12	cervical cancer tissue using DIO1 Polyclonal Antibody at

## Background

Apoptosis, a major form of cell death, is an efficient mechanism for eliminating unwanted cells and is of central importance for development and homeostasis in metazoan animals. In mice, the death inducer-obliterator-1 gene is upregulated by apoptotic signals and encodes a cytoplasmic protein that translocates to the nucleus upon apoptotic signal activation. When overexpressed, the mouse protein induced apoptosis in cell lines growing in vitro. This gene is similar to the mouse gene and therefore is thought to be involved in apoptosis. Alternatively spliced transcripts have been found for this gene, encoding multiple isoforms.