

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

Reactivity	Human
Immunogen	Recombinant Protein of Cystatin C of CST3
Host	Mouse
Isotype	IgG
Clone	Clone:3B6
Purification	Protein A purification
Conjugation	Unconjugated
Formulation	PBS with 0.02% sodium azide, 0.5% protective protein and 50% glycerol, pH7.4

Applications Recommended Dilution


WB	1:1000-2000
IHC	1:100-200
IF	1:50-1:200

Data




www.elabscience.com

Western Blot analysis of Cystatin C protein using CST3 Monoclonal Antibody at dilution of 1:1000.
Observed Mw:14kDa



www.elabscience.com

Immunohistochemistry of paraffin-embedded Human kidney tissue using CST3 Monoclonal Antibody at dilution of 1:200.



www.elabscience.com

Immunofluorescence analysis of Human liver cancer tissue using CST3 Monoclonal Antibody at dilution of 1:200.

Preparation & Storage

Storage Store at -20°C. Avoid freeze / thaw cycles.

Background

As an inhibitor of cysteine proteinases, this protein is thought to serve an important physiological role as a local regulator

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623

Web: www.elabscience.com

Tel: 1-832-243-6086

Email: techsupport@elabscience.com

Fax: 1-832-243-6017

CST3 Monoclonal Antibody

Catalog Number: E-AB-22129



of this enzyme activity. Known to inhibit cathepsin B, H, and L.

For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623

Tel: 1-832-243-6086

Fax: 1-832-243-6017

Web: www.elabscience.com

Email: techsupport@elabscience.com