

## Recombinant Mouse SelenoProtein P/SEPP1 Protein (His Tag)

Catalog Number: PDMM100197

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.


### Description

<b>Species</b>	Mouse
<b>Source</b>	Mammalian-derived Mouse Selenoprotein P protein Glu20–Asn380, with an C-terminal His
<b>Calculated MW</b>	39.6 kDa
<b>Observed MW</b>	50-60 kDa
<b>Accession</b>	P70274
<b>Bio-activity</b>	Not validated for activity

### Properties

<b>Purity</b>	> 95% as determined by reducing SDS-PAGE.
<b>Endotoxin</b>	< 1.0 EU/mg of the protein as determined by the LAL method
<b>Storage</b>	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
<b>Shipping</b>	This product is provided as lyophilized powder which is shipped with ice packs.
<b>Formulation</b>	Lyophilized from a 0.2 µm filtered solution in PBS with 5% Trehalose and 5% Mannitol.
<b>Reconstitution</b>	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.5 mg/mL. Concentration is measured by UV-Vis.

### Data



SDS-PAGE analysis of Mouse Selenoprotein P/SEPP1 proteins, 2 µg/lane of Recombinant Mouse Selenoprotein P/SEPP1 proteins was resolved with SDS-PAGE under reducing conditions, showing bands at 50-60 kDa.

### Background

Selenoprotein P (SeP) is an extracellular, monomeric glycoprotein containing up to 10 selenocysteine residues in the polypeptide chain. It is ubiquitously expressed in mammalian tissues, and in human plasma it accounts for at least 40% of the total selenium concentration. SeP binds to heparin and cell membranes, and is associated with endothelial cells. SeP in human plasma protects against peroxynitrite-mediated oxidation and reduces phospholipid hydroperoxide in vitro, in accordance with the presumption that it has a function as an extracellular oxidant defense. Immunochemical assays have demonstrated that its concentration in plasma varies much with selenium intake, but other factors also have an influence.

### For Research Use Only

Toll-free: 1-888-852-8623  
Web: [www.elabscience.com](http://www.elabscience.com)

Tel: 1-832-243-6086  
Email: [techsupport@elabscience.com](mailto:techsupport@elabscience.com)

Fax: 1-832-243-6017