

## Recombinant Human UCHL1 protein (GST Tag)

**Catalog Number:** PDEH100784

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.


### Description

<b>Species</b>	Human
<b>Source</b>	E.coli-derived Human UCHL1 protein Met1-Cys220, with an N-terminal GST
<b>Calculated MW</b>	49.1 kDa
<b>Observed MW</b>	45 kDa
<b>Accession</b>	P09936
<b>Bio-activity</b>	Not validated for activity

### Properties

<b>Purity</b>	> 95% as determined by reducing SDS-PAGE.
<b>Endotoxin</b>	< 10 EU/mg of the protein as determined by the LAL method
<b>Storage</b>	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
<b>Shipping</b>	This product is provided as lyophilized powder which is shipped with ice packs.
<b>Formulation</b>	Lyophilized from a 0.2 µm filtered solution in PBS with 5% Trehalose and 5% Mannitol.
<b>Reconstitution</b>	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.5 mg/mL. Concentration is measured by UV-Vis.

### Data



SDS-PAGE analysis of Human UCHL1 proteins, 2µg/lane of Recombinant Human UCHL1 proteins was resolved with SDS-PAGE under reducing conditions, showing bands at 45 KD.

### Background

Ubiquitin Carboxyl-Terminal Hydrolase Isozyme L1 (UCHL1) belongs to the Peptidase C12 family. UCHL1 is specifically expressed in the neurons and in cells of the diffuse neuroendocrine system. UCHL1 is a component of the ubiquitin system, which has a fundamental role in regulating various biological activities. UCHL1 is a thiol protease that recognizes and hydrolyzes a peptide bond at the C-terminal glycine of ubiquitin. UCHL1 also binds to free monoubiquitin and may prevent its degradation in lysosomes. The homodimer of UCHL1 may have ATP-independent ubiquitin ligase activity.

### For Research Use Only