

## Recombinant Mouse LIF Protein

**Catalog Number:** PKSM041100

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.


### Description

|                      |   |
|----------------------|---|
| <b>Species</b>       | Mouse   |
| <b>Source</b>        | E.coli-derived Mouse LIF protein Ser24-Phe203 , with an N-terminal His  |
| <b>Calculated MW</b> | 20.7 kDa  |
| <b>Observed MW</b>   | 17-25 kDa   |
| <b>Accession</b>     | P09056  |
| <b>Bio-activity</b>  | Measure by its ability to induce IL-6 secretion in M1 cells. The ED <sub>50</sub> for this effect is <0.5 ng/mL. The specific activity of recombinant mouse LIF is > 2 x 10 <sup>6</sup> IU/mg. |

### Properties

|                       |   |
|-----------------------|---|
| <b>Purity</b>         | > 95 % as determined by reducing SDS-PAGE.  |
| <b>Endotoxin</b>      | < 0.1 EU per µg of the protein as determined by the LAL method.   |
| <b>Storage</b>        | Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months. |
| <b>Shipping</b>       | This product is provided as lyophilized powder which is shipped with ice packs.   |
| <b>Formulation</b>    | Lyophilized from sterile PBS, pH 7.4.<br>Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants before lyophilization.<br>Please refer to the specific buffer information in the printed manual.            |
| <b>Reconstitution</b> | Please refer to the printed manual for detailed information.  |

### Data



> 95 % as determined by reducing SDS-PAGE.

### Background

Mouse Leukemia inhibitory factor (lif) is a secreted protein which belongs to the LIF/OSM family. LIF has been implicated in a many physiological processes including development, hematopoiesis, bone metabolism, and inflammation. It has the capacity to induce terminal differentiation in leukemic cells. Its activities include the induction of hematopoietic differentiation in normal and myeloid leukemia cells, the induction of neuronal cell differentiation, and the stimulation of acute-phase protein synthesis in hepatocytes.

### For Research Use Only

Toll-free: 1-888-852-8623  
Web: [www.elabscience.com](http://www.elabscience.com)

Tel: 1-832-243-6086  
Email: [techsupport@elabscience.com](mailto:techsupport@elabscience.com)

Fax: 1-832-243-6017