## **Elabscience**®


## **PTPRN Polyclonal Antibody**


## catalog number: E-AB-52202

Note: Centrifuge before opening to ensure complete recovery of vial contents.

| Description  |                                                                                    |
|--------------|------------------------------------------------------------------------------------|
| Reactivity   | Human;Mouse;Rat                                                                    |
| Immunogen    | Fusion protein of human PTPRN                                                      |
| Host         | Rabbit                                                                             |
| Isotype      | IgG                                                                                |
| Purification | Antigen affinity purification                                                      |
| Buffer       | Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol. |
| Applications | Recommended Dilution                                                               |
| IHC          | 1:50-1:200                                                                         |

Data





Immunohistochemistry of paraffin-embedded Human brain tissue using PTPRN Polyclonal Antibody at dilution of 1:55(×200) Immunohistochemistry of paraffin-embedded Human liver cancer tissue using PTPRN Polyclonal Antibody at dilution of 1:55(×200)

| Preparation & Storage |                                                                                                          |
|-----------------------|----------------------------------------------------------------------------------------------------------|
| Storage               | Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.                                          |
| Shipping              | The product is shipped with ice pack, upon receipt, store it immediately at the temperature recommended. |

## Background

IA-2/PTPRN is a member of the protein tyrosine phosphatase (PTP) family, which contains a transmembrane region, an intracellular PTP-like domain and an extracellular N-terminus. Experiments found that IA-2/PTPRN localizes to secretory granules and is exclusively expressed in neuroendocrine cells (including pancreatic islets cell). IA-2/PTPRNwas found to be a major autoantigen in insulin-dependent diabetes mellitus and the detection of autoantibodies against IA-2/PTPRN is commonly used as a diabetes diagnosis marker.