## Recombinant Human CD226/DNAM-1 Protein (Fc Tag)

Catalog Number: PKSH033729



Description			
Species		Human	
Mol_Mass		52.8 kDa	
Accession		Q15762	
Bio-activity		Not validated for activity	
Properties			
Purity		> 95 % as determined by reducing SDS-PAGE.	
Endotoxin		< 1.0 EU per µg of the protein as determined by the LAL method.	
Storage G		Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80	
		°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of	
		reconstituted samples are stable at $< -20^{\circ}$ C for 3 months.	
Shipping		This product is provided as lyophilized powder which is shipped with ice packs.	
Formulation		Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.	
		Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants	
		before lyophilization.	
		Please refer to the specific buffer information in the printed manual.	
Reconstitution		Please refer to the printed manual for detailed information.	
Data			

Note: Centrifuge before opening to ensure complete recovery of vial contents.

kDa	МК	R
170 130 95 72 55		-
43	-	
34	-	
26	-	

> 95 % as determined by reducing SDS-PAGE.

## Background

Human DNAX accessory molecule 1 (DNAM-1/CD226) is a 65 kDa type I transmembrane glycoprotein in the immunoglobulin superfamily. Mature human DNAM-1 contains an extracellular domain (ECD) with two Ig-like C2-set domains and a cytoplasmic region that contains motifs for binding PDZ domains and band 4.1 family proteins. DNAM-1 is expressed on multiple lymphoid and myeloid cells and interacts with CD155 and CD112. Ligation of DNAM-1 promotes the activation of NK cells; CD8+ T cells; and mast cells; dendritic cell maturation; megakaryocyte and activated platelet adhesion to vascular endothelial cells; and monocyte extravasation; it inhibits the formation of osteoclasts. Plateletendothelium; interactions mediated by DNAM-1; enable the metastasis of tumor cells to the lung.

## For Research Use Only