

Recombinant Mouse NOV/CCN3 Protein(Fc Tag)

Catalog Number: PDMM100168

Note: Centrifuge before opening to ensure complete recovery of vial contents.


Description

Species	Mouse
Source	Mammalian-derived Mouse NOV/CCN3 proteins Gln22-Ile354, with an C-terminal Fc
Calculated MW	61.5 kDa
Observed MW	80 kDa
Accession	Q64299
Bio-activity	Not validated for activity

Properties

Purity	> 90% as determined by reducing SDS-PAGE.
Endotoxin	< 1.0 EU/mg of the protein as determined by the LAL method
Storage	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80 °C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Shipping	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation	Lyophilized from a 0.2 µm filtered solution in PBS with 5% Trehalose and 5% Mannitol.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.5 mg/mL. Concentration is measured by UV-Vis.

Data



SDS-PAGE analysis of Mouse NOV/CCN3 proteins, 2 µg/lane of Recombinant Mouse NOV/CCN3 proteins was resolved with SDS-PAGE under reducing conditions, showing bands at 80 KD

Background

For Research Use Only

Toll-free: 1-888-852-8623
Web: www.elabscience.com

Tel: 1-832-243-6086
Email: techsupport@elabscience.com

Fax: 1-832-243-6017

Rev. V1.7

Protein NOV homolog, also known as Nephroblastoma-overexpressed gene protein homolog, NOV, and CCN3, is a putative ligand for integrin receptors, is tightly associated with the extracellular matrix, and mediates diverse cellular functions, including cell adhesion and proliferation. CCN3 has been shown to negatively regulate growth although it promotes migration in a cell type-specific manner. This secreted protein belongs to the CCN family, and its expression was observed in a broad variety of tissues from the early stage of development, and altered expression of CCN3 has been observed in a variety of tumors, including hepatocellular carcinomas, Wilm's tumors, Ewing's sarcomas, gliomas, rhabdomyosarcomas, and adrenocortical carcinomas. Mature CCN3 protein has five distinct modules and truncated protein variants with altered function are found in many cancers. CCN3 acts through the core stem cell signaling pathways including Notch and Bone Morphogenic Protein, connecting CCN3 with the modulation of self-renewal and maturation of some cell lineages including hematopoietic, osteogenic, and chondrogenic. CCN3 may affect the extracellular environment of the niche for hematopoietic stem cells. CCN3 has emerged as a key player in stem cell regulation, hematopoiesis, and a crucial component within the bone marrow microenvironment.