ARIH2 Polyclonal Antibody

catalog number: E-AB-12985



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description		
Reactivity	Human;Mouse	
Immunogen	Synthetic peptide of human ARIH2	
Host	Rabbit	
Isotype	IgG	
Purification	Affinity purification	
Conjugation	Unconjugated	
buffer	Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.	
Applications	Recommended Dilution	
WB	1:500-1:2000	
Data		
	10 2 3 4 5 11 - - - 12 - - - 13 - - - 14 - - - 15 - - - 16 - - - 17 - - - 18 - - - 19 - - - 19 - - - 19 - - -	
Western Blot analysis of Hela, Jurkat, 293T and K562 cell,		
Mouse testis tissue using ARIH2 Polyclonal Antibody at		
dilution of 1:550		
Calculated-MV:58 kDa		
Preparation & Storage		
Storage	Store at 2000 Valid for 12 months. A void frages / they evalue	

Storage	Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.
Shipping	The product is shipped with ice pack, upon receipt, store it immediately at the
	temperature recommended.

Background

TRIAD1, also known as ARIH2 (ariadne homolog 2) or ARI2, is a 493 amino acid protein that contains one IBR-type zinc finger and two RING-type zinc fingers and belongs to the ariadne subfamily of RBR proteins. Localized to the nucleus, TRIAD1 interacts with UBE2L3 and is thought to act as an E3 ubiquitin-protein ligase, functioning to accept ubiquitin from E2 ubiquitin-conjugating enzymes and transfer the acquired ubiquitin residue to target substrates. TRIAD1 is subject to post-translational DNA damage-dependent phosphorylation, probably by ATM or ATR. The gene encoding TRIAD1 maps to human chromosome 3, which houses over 1,100 genes, including a chemokine receptor (CKR) gene cluster and a variety of human cancer-related gene loci.

For Research Use Only