
NADK Polyclonal Antibody

Catalog Number:E-AB-19043



Note: Centrifuge before opening to ensure complete recovery of vial contents.

| Description | |
|--------------|--|
| Reactivity | Human, Mouse |
| Immunogen | Fusion protein of human NADK |
| Host | Rabbit |
| Isotype | IgG |
| Purification | Antigen affinity purification |
| Conjugation | Unconjugated |
| Formulation | PBS with 0.05% NaN3 and 40% Glycerol,pH7.4 |
| Applications | Recommended Dilution |
| ІНС | 1:50-1:300 |
| ELISA | 1:5000-1:10000 |
| Data | |



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using NADK Polyclonal Antibody at dilution of 1:70(×200)

Preparation & Storage

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Background

NADK catalyzes the transfer of a phosphate group from ATP to NAD to generate NADP, which in its reduced form acts as an electron donor for biosynthetic reactions (Lerner et al., 2001 [PubMed 11594753]).

For Research Use Only

A Reliable Research Partner in Life Science and Medicine
Toll-free: 1-888-852-8623 Tel: 1-832-243-6086
Web: www.elabscience.com Email: techsupport@elabscience.com