

A Reliable Research Partner in Life Science and Medicine

Elab Fluor® 488 Anti-Mouse CD14 Antibody[Sa14-2]

Catalog Number: E-AB-F1176L

Note: Centrifuge before opening to ensure complete recovery of vial contents.

De		-		
חרו	CC			10
	- 1	u 1 i	11.4	

Reactivity Mouse Host Rat

Isotype Rat IgG2a, κ
Clone No. Sa14-2

Isotype Control Elab Fluor® 488 Rat IgG2a, κ Isotype Control[2A3] [Product E-AB-F09832L]

Conjugation Elab Fluor® 488

Conjugation Information Elab Fluor® 488 is designed to be excited by the Blue laser (488 nm) and detected using

an optical filter centered near 520 nm (e.g., a 525/40 nm bandpass filter).


Storage Buffer Phosphate buffered solution, pH 7.2, containing 0.09% sodium azide and 1% BSA.

Applications Recommended usage

FCM

Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per 100 μ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.

Data



Raw264.7 cells are stained with Elab Fluor® 488 Anti-Mouse CD14 Antibody[Sa14-2] (filled gray histogram) or Elab Fluor

[®] 488 Rat IgG2a, к Isotype Control (empty black histogram).

Preparation & Storage

Storage Keep as concentrated solution.

This product can be stored at 2-8°C for 12 months. Please protected from prolonged

exposure to light and do not freeze.

Shipping Ice bag

Antigen Information

Alternate Names CD 14;Monocyte differentiation antigen CD14;Myeloid cell-specific leucine-rich

Web: www.elabscience.cn

glycoprotein

 Uniprot ID
 P10810

 Gene ID
 12475

For Research Use Only



Elabscience Biotechnology Co., Ltd.

A Reliable Research Partner in Life Science and Medicine

Background

CD14 is a 53-55 kD glycosylphosphatidylinositol (GPI)-linked membrane glycoprotein also known as LPS receptor. CD14 is expressed on macrophages, dendritic cells, Kupffer cells, hepatocytes, and granulocytes. As a high-affinity receptor for LPS-LBP (LPS-binding protein) complex, CD14, in association with Toll-like Receptor 4 (TLR4) or 2 (TLR2), is involved in the clearance of gram-negative pathogens.