Red Brick Powder Test Kit

Catalog No: E-IA-C056

100T

Version Number:	V1.0
Replace version:	/
Revision Date:	2026.09.02

This manual must be read attentively and completely before using this product.

If you have any problems, please contact our Technical Service Center for help.

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017
Email: techsupport@elabscience.com
Website: www.elabscience.com

Please kindly provide us the lot number (on the outside of the box) of the kit for more efficient service.

Copyright ©2026-2027 Elabscience Bionovation Inc. All Rights Reserved

Test principle

This product is used for the rapid detection of Red Brick Powder in Chili powder sample, featuring simple operation and short detection time.

Kits components

Item	Specifications
Detection Solution A	10 vials
10 mL Test Tube	1 pack
Disposable Dropper	1 pack
Manual	1 copy

Note: All reagent bottle caps must be tightened to prevent evaporation and microbial pollution.

Other materials required but not supplied

Instruments: Homogenizer, Nitrogen Evaporators, Water bath, Centrifuge, Graduated pipette, Balance (sensibility 0.01g), Oscillators, EP tubes.

Micropipette: Single channel (20-200 μL, 100-1000 μL)

Notes

1. FOR RESEARCH USE ONLY. Do not use product out of date.
2. The test tubes can be reused after rinsing and air-drying.
3. Shake the detection solution well before use and add dropwise, store away from light at all times.
4. The reagents are non-toxic. In case of skin contact, rinse thoroughly with water.
5. **Each reagent is optimized for use in the E-IA-C056. Do not substitute reagents from any other manufacturer into the test kit. Do not combine reagents from other E-IA-C056 with different lot numbers.**
6. Dispose of solid and liquid waste generated after using this product in accordance with local regulatory requirements to prevent contamination.
7. This method is applicable to on-site rapid testing. Samples whose test results do not comply with standard limits or labeled values shall be measured in triplicate.
8. The kit is used for rapid screening of actual samples. If the test result is positive, the instrument method such as HPLC, LC/MS, etc. can be used for quantitative confirmation**.**

Storage and expiry date

Storage: Store at 2-30℃. With cool and dry environment.

Expiry date: expiration date is on the packing box.

Operating Procedures

1. Place a small amount of test sample into a 10 mL Test Tube, add 5 mL of **Detection Solution A** and shake thoroughly. Let it stand for a while. Chili powder has a low specific gravity and floats on the top, while brick dust has a high specific gravity and settles at the bottom.

Judgment of result

1. **Positive:** A red precipitate at the tube bottom indicates adulteration with brick dust.

Copyright ©2026-2027 Elabscience Bionovation Inc. All Rights Reserved