



A Reliable Research Partner in Life Science and Medicine

TIMP1 Polyclonal Antibody

catalog number: D-AB-10195L

Note: Centrifuge before opening to ensure complete recovery of vial contents.

D	•	4.0
I IAC	CPH	otion
DCS.		

Reactivity Mouse

Immunogen Recombinant Mouse Timp1 protein expressed by E.coli

Host Rabbit Isotype IgG

Purification Antigen Affinity Purification

Conjugation Unconjugated

Buffer PBS with 0.05% Proclin 300, 1% protective protein and 50% glycerol, pH7.4

Applications Recommended Dilution

WB 1:500-1:1000

Data



Western blot with Timp1 Polyclonal antibody at dilution of

1:500.lane 1:Fetal mouse Observed-MW:30 kDa Calculated-MW:23 kDa

Preparation & Storage

Storage Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

Background

This gene belongs to the TIMP gene family. The proteins encoded by this gene family are natural inhibitors of the matrix metalloproteinases (MMPs), a group of peptidases involved in degradation of the extracellular matrix. In addition to its inhibitory role against most of the known MMPs, the encoded protein is able to promote cell proliferation in a wide range of cell types, and may also have an anti-apoptotic function. Transcription of this gene is highly inducible in response to many cytokines and hormones. In addition, the expression from some but not all inactive X chromosomes suggests that this gene inactivation is polymorphic in human females. This gene is located within intron 6 of the synapsin I gene and is transcribed in the opposite direction.