

# Recombinant Human GFPT1/GFAT Protein

Catalog Number:PKSH031281



**Note:** Centrifuge before opening to ensure complete recovery of vial contents.


## Description

<b>Synonyms</b>	CMSTA1;GFA;GFAT;GFAT1;GFAT1m;GFPT;GFPT1L;MSLG
<b>Species</b>	Human
<b>Expression Host</b>	E.coli
<b>Sequence</b>	Gln 332-Glu 699
<b>Accession</b>	AAA58502.1
<b>Calculated Molecular Weight</b>	41.5 kDa
<b>Observed molecular weight</b>	41.5 kDa
<b>Tag</b>	None

## Properties

<b>Purity</b>	> 97 % as determined by reducing SDS-PAGE.
<b>Endotoxin</b>	Please contact us for more information.
<b>Storage</b>	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
<b>Shipping</b>	This product is provided as lyophilized powder which is shipped with ice packs.
<b>Formulation</b>	Lyophilized from sterile PBS, pH 7.4, 10% glycerol Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual.
<b>Reconstitution</b>	Please refer to the printed manual for detailed information.

## Data



> 97 % as determined by reducing SDS-PAGE.

## Background

Glutamine:fructose-6-phosphate amidotransferase 1 (GFAT), also known as GFPT1, is a member of the N-terminal nucleophile aminotransferases and the first rate-limiting enzyme for the entry of glucose into the hexosamine biosynthesis pathway (HBP) in mammals. GFAT transfers the amino group from the L-glutamine amide to the D-fructose 6-phosphate, producing glutamic acid and glucosamine 6-phosphate. GFAT exists as a homotetramer in cytoplasm, and is proposed to be most likely involved in regulating the availability of precursors for N- and O-linked glycosylation of proteins. The full length of human GFAT contains 1 glutamine amidotransferase type-2 domain which catalyzes amide nitrogen transfer from glutamine to the appropriate substrate, and 2 SIS (Sugar Isomerase) domains found in many phosphosugar isomerases and phosphosugar binding proteins. Two isoforms of gfat have been identified: GFAT1 is

## For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623

Web: [www.elabscience.com](http://www.elabscience.com)

Tel: 1-832-243-6086

Email: [techsupport@elabscience.com](mailto:techsupport@elabscience.com)

Fax: 1-832-243-6017

# Recombinant Human GFPT1/GFAT Protein

Catalog Number:PKSH031281



predominantly expressed in skeletal muscle, whereas GFAT2 is expressed mainly in the central nervous system.

## For Research Use Only

A Reliable Research Partner in Life Science and Medicine

Toll-free: 1-888-852-8623

Tel: 1-832-243-6086

Fax: 1-832-243-6017

Web: [www.elabscience.com](http://www.elabscience.com)

Email: [techsupport@elabscience.com](mailto:techsupport@elabscience.com)