



A Reliable Research Partner in Life Science and Medicine

DRG1 Polyclonal Antibody

catalog number: E-AB-14961

Note: Centrifuge before opening to ensure complete recovery of vial contents.

D	•	4.0	
Des	orn	ntio	m
DCS'		JULU	ш

Reactivity Human; Mouse

Immunogen Recombinant protein of human DRG1

Host Rabbit Isotype IgG

Purification Affinity purification
Conjugation Unconjugated

Buffer Phosphate buffered solution, pH 7.4, containing 0.05% stabilizer and 50% glycerol.

Applications Recommended Dilution

WB 1:500-1:2000

Data



Western Blot analysis of Human fetal brain tissue using

DRG1 Polyclonal Antibody at dilution of 1:500

Calculated-MW:41 kDa

Preparation & Storage

Storage Storage Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles.

Shipping The product is shipped with ice pack, upon receipt, store it immediately at the

temperature recommended.

Background

DRGI (developmentally regulated GTP binding protein 1), also known as NEDD3 (neural precursor cell expressed developmentally down-regulated protein 3), is a 367 amino acid protein that localizes to the cytoplasm and belongs to the GTP1/OBG family. Expressed at high levels in heart, kidney and skeletal muscle and at lower levels in brain, liver, placenta, lung, colon and spleen, DRGI binds to TAL1 and TAL2 and is thought to play a role in cell proliferation and differentiation, as well as in apoptosis, suggesting a role in tumor formation and metastasis. DRGI is subject to polyubiquitination and sumoylation, the former of which induces proteolytic degradation. The gene encoding DRGI maps to human chromosome 22, which houses over 500 genes and is the second smallest human chromosome. Mutations in several of the genes that map to chromosome 22 are involved in the development of Phelan-McDermid syndrome, Neurofibromatosis type 2, autism and schizophrenia.

For Research Use Only