

## PerCP/Cyanine5.5 Anti-Human CD20 Antibody[Rituximab]

**Catalog Number:** AN00776J

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.

### Description


|                                |                                                                                                                                                                       |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reactivity</b>              | Human                                                                                                                                                                 |
| <b>Host</b>                    | Human                                                                                                                                                                 |
| <b>Isotype</b>                 | Human IgG1, $\kappa$                                                                                                                                                  |
| <b>Clone No.</b>               | Rituximab                                                                                                                                                             |
| <b>Isotype Control</b>         | PerCP/Cyanine5.5 Anti-Human IgG1 Isotype Control Antibody[MOPC21.1] [Product AN00840J]                                                                                |
| <b>Conjugation</b>             | PerCP/Cyanine 5.5                                                                                                                                                     |
| <b>Conjugation Information</b> | PerCP/Cyanine 5.5 is designed to be excited by the blue laser (488 nm) and detected using an optical filter centered near 675 nm (e.g., a 690/50 nm bandpass filter). |
| <b>Storage Buffer</b>          | Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer.                                                                                                     |

### Applications

### Recommended usage

|            |                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>FCM</b> | Each lot of this antibody is quality control tested by flow cytometric analysis. <b>The amount of the reagent is suggested to be used 5 <math>\mu</math>L of antibody per test (million cells in 100 <math>\mu</math>L staining volume or per 100 <math>\mu</math>L of whole blood).</b> Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use. |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### Data



Human peripheral blood lymphocytes are stained with PerCP/Cyanine 5.5 Anti-Human CD20 Antibody[Rituximab] (filled gray histogram). Unstained lymphocytes (empty black histogram) are used as control.

### Preparation & Storage

|                 |                                                                                                                                                           |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Storage</b>  | Keep as concentrated solution.<br>This product can be stored at 2-8°C for 24 months. Please protected from prolonged exposure to light and do not freeze. |
| <b>Shipping</b> | Ice bag                                                                                                                                                   |

### Antigen Information

|                        |                                                              |
|------------------------|--------------------------------------------------------------|
| <b>Alternate Names</b> | Rat C3bi receptor, Rat CR3 complement receptor, ITGAM, ITGAX |
| <b>Uniprot ID</b>      | P11836                                                       |
| <b>Gene ID</b>         | 931                                                          |

### For Research Use Only

Toll-free: 1-888-852-8623  
Web: [www.elabscience.com](http://www.elabscience.com)

Tel: 1-832-243-6086  
Email: [techsupport@elabscience.com](mailto:techsupport@elabscience.com)

Fax: 1-832-243-6017

Rev. V1.4

## Background

CD20 is expressed on pre-B-cells, naive and activated B cells, memory B cells, and at lower levels on a small subset of T cells but is absent from plasmablasts and plasma cells. It is also expressed on most malignant B cells and CD20-positive T-cell lymphomas. CD20 functions in mediating calcium transport and B cell activation, differentiation, and survival.