## AF/LE Purified Anti-Mouse/Human CD11b Antibody[M1/70]


catalog number: E-AB-F10810



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description	
Reactivity	Human;Mouse
Host	Rat
Isotype	Rat IgG2b, κ
Clone	M1/70
Conjugation	None (AF/LE)
buffer	Sterile PBS, pH 7.2. $<$ 1.0 EU per mg of the antibody as determined by the LAL method

Applications	Recommended Dilution
FCM	$2 \ \mu g/mL(1 \times 10^5 - 5 \times 10^5 \text{ cells})$
Data	



C57/BL6 Mouse bone marrow cells were stained with  $0.2 \ \mu g$ 

AF/LE Purified Anti-Mouse/Human CD11b

Antibody[M1/70] (Right) and 0.2  $\mu$ g Rat IgG2b,  $\kappa$  Isotype

Control (Left), followed by PE-conjugated Goat Anti-Rat IgG

Secondary Antibody.

Preparation & Storage	
Storage	Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze /
	thaw cycles. This preparation contains no preservatives, thus it should be handled
	under aseptic conditions.
Shipping	Ice bag

## Background

CD11b is a 170 kD glycoprotein also known as αM integrin, Mac-1 α subunit, Mol, CR3, and Ly-40. CD11b is a member of the integrin family, primarily expressed on granulocytes, monocytes/macrophages, dendritic cells, NK cells, and subsets of T and B cells. CD11b non-covalently associates with CD18 (β2 integrin) to form Mac-1. Mac-1 plays an important role in cell-cell interaction by binding its ligands ICAM-1 (CD54), ICAM-2 (CD102), ICAM-4 (CD242), iC3b, and fibrinogen.

## For Research Use Only