## Recombinant Mouse ALK-1/ACVRL1 Protein (Fc Tag)

Catalog Number: PKSM041235



Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description				
Species	Mouse			
Mol_Mass	38.1 kDa			
Accession	Q61288			
	3.7 . 11.1 .			

**Bio-activity** Not validated for activity

т.					, .	
12	rn	n	•	T <sup>a</sup>	т	es
			w.		ш	

Description

**Purity** > 95 % as determined by reducing SDS-PAGE.

Endotoxin < 1.0 EU per µg of the protein as determined by the LAL method.

**Storage** Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80

°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

**Shipping** This product is provided as lyophilized powder which is shipped with ice packs.

**Formulation** Lyophilized from a 0.2 μm filtered solution of PBS, pH 7.4.


Normally 5% - 8% trehalose, mannitol and 0.01% Tween 80 are added as protectants

before lyophilization.

Please refer to the specific buffer information in the printed manual.

**Reconstitution** Please refer to the printed manual for detailed information.

## Data



## Background

Activin Receptor-Like Kinase 1 (ALK-1) is a type I cell-surface receptor for the TGF-β superfamily of ligands, which mediates signaling of BMP9 (bone morphogenetic protein) and BMP10. ALK1 signaling is necessary for angiogenesis during embryogenesis, wound healing, and tumor growth. ALK-1 has a high degree of similarity in serine-threonine kinase subdomains, a glycine and serine rich region preceding the kinase-domain, and a C-terminal tail with other activin receptor-like kinase proteins. ALK-1 is mainly expressed in endothelial cells regulating proliferation and migration in vitro and angiogenesis in vivo. Mutations in ALK-1 as well as in endoglin are associated with hereditary hemorrhagic telangiectasia (HHT), suggesting ALK-1 plays a critical role for in the control of blood vessel development or repair.

## For Research Use Only