## Elabscience Biotechnology Co., Ltd.



A Reliable Research Partner in Life Science and Medicine

# Human SNCa Antibody Pair Set

Catalog No. E-KAB-0480 Applications ELISA

**Synonyms** SNC-A;aSYN;PD1;NACP;PARK1;PARK4;

## Kit components & Storage

Title	Specifications	Storage
Human SNCα Capture Antibody	1 vial, 100 μ g	Store at -20°C for one year.
		Avoid freeze/thaw cycles.
Human SNCα Detection Antibody	1 vial, 50 μL	Store at -20°C for one year.
(Biotin)		Avoid freeze/thaw cycles.

**Note:** Centrifuge before opening to ensure complete recovery of vial contents.

#### **Product Information**

Items		Characteristic (E-KAB-0480)		
		Human SNCα Capture Antibody	Human SNCα Detection Antibody	
			(Biotin)	
Immunogen	Immunogen	Recombinant Human SNCα protien	Recombinant Human SNCα protien	
Information	Swissprot	P37840		
Product details	Reactivity	Human	Human	
	Host	Rabbit	Rabbit	
	Conjugation	Unconjugated	Biotin	
	Concentration	0.5 mg/mL	/	
	Buffer	PBS with 0.04% Proclin 300; 50%	PBS with 0.04% Proclin 300; 1%	
		glycerol; pH 7.5	protective protein; 50% glycerol; pH	
			7.5	
	Purify	Antigen Affinity	Antigen Affinity	
	Specificity	Detects Human SNCα in ELISAs.		

For Research Use Only

Tel: 400-999-2100 Web: <a href="www.elabscience.cn">www.elabscience.cn</a> Email: <a href="mailto:techsupport@elabscience.cn">techsupport@elabscience.cn</a>





A Reliable Research Partner in Life Science and Medicine

## **Applications**

Human SNCα Sandwich ELISA Assay:

	Recommended	Reagent	Images
	Concentration/Dilution		
ELISA	0.5-4 μg/mL	Human SNCα Capture	
Capture		Antibody	10
			, ,
			Aista 1
ELISA	1:1000-1:10000	Human SNCα Detection	Optical Density
Detection		Antibody (Biotin)	0.1 -
			1 10 100 1000 10000 Human SNCα Concentration(pg/mL)
			топын этел сопсенианопруше)

Note: This standard curve is only for demonstration purposes. A standard curve should be generated for each assay!

#### **Background**

Alpha-synuclein is a member of the synuclein family, which also includes beta- and gamma-synuclein. Synucleins are abundantly expressed in the brain and alpha- and beta-synuclein inhibit phospholipase D2 selectively. SNCA may serve to integrate presynaptic signaling and membrane trafficking. Defects in SNCA have been implicated in the pathogenesis of Parkinson disease. SNCA peptides are a major component of amyloid plaques in the brains of patients with Alzheimer's disease. Four alternatively spliced transcripts encoding two different isoforms have been identified for this gene.

Tel: 400-999-2100 Web: <a href="www.elabscience.cn">www.elabscience.cn</a> Email: <a href="techsupport@elabscience.cn">techsupport@elabscience.cn</a>