



A Reliable Research Partner in Life Science and Medicine

Recombinant CD27/TNFRSF7 Monoclonal Antibody

catalog number: AN300477P

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Mouse

Immunogen Recombinant Mouse CD27/TNFRSF7 Protein


Host Rabbit
Isotype IgG
Clone B407
Purification Protein A


Buffer 0.2 µm filtered solution in PBS

Applications Recommended Dilution

IHC-P 1:100-1:500

Data





Immunohistochemistry of paraffin-embedded mouse spleen using CD27/TNFRSF7 Monoclonal Antibody at dilution of 1:200.

Immunohistochemistry of paraffin-embedded mouse thymus using CD27/TNFRSF7 Monoclonal Antibody at dilution of 1:200.

Preparation & Storage

Storage This antibody can be stored at 2°C-8°C for one month without detectable loss of

activity. Antibody products are stable for twelve months from date of receipt when stored at -20°C to -80°C. Preservative-Free. Avoid repeated freeze-thaw cycles.

Shipping Ice bag

Background

CD27, also known as TNFRSF7, is a member of the TNF-receptor superfamily limited to cells of the lymphoid lineag e, and exists as both a dimeric glycoprotein on the cell surface and as a soluble protein in serum. As a type I transmembrane glycoprotein of about 55 kDa existing as disulfide-linked homodimer, CD27 has been shown to play roles in lymphoid proliferation, differentiation, and apoptosis. It has an important role in the generation of T cell immunity and is an robust marker for normal memory B cells. It is a T and B cell co-stimulatory molecule, the activity of CD27 is governed by its TNF-like ligand CD70 on lymphocytes and dendritic cells. The CD27-CD70 interaction is required for Th1 generation responses to differentiation signals and long-term maintenance of T cell immunity, and meanwhile, plays a key role in regulating B-cell differentiation, activation and immunoglobulin synthesis.

For Research Use Only