

A Reliable Research Partner in Life Science and Medicine

# APC Anti-Mouse MHC I (H-2Kd) Antibody[SF1.1.10]

Catalog Number: AN00429E

Note: Centrifuge before opening to ensure complete recovery of vial contents.

#### Description

Reactivity Mouse Mouse Host

Isotype Mouse IgG2a, ĸ Clone No. SF1.1.10

APC Mouse IgG2a, κ Isotype Control[C1.18.4] [Product E-AB-F09802E] Isotype Control

APC Conjugation

**Conjugation Information** APC is designed to be excited by the Red (627-640 nm) laser and detected using an

optical filter centered near 660 nm (e.g., a 660/20 nm bandpass filter).

Storage Buffer Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein

protectant.


#### **Applications** Recommended usage

**FCM** Each lot of this antibody is quality control tested by flow cytometric analysis. The amount

of the reagent is suggested to be used 5 µL of antibody per test (million cells in 100 μL staining volume or per 100 μL of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for

individual use.

#### **Data**



Staining of BALB/c murine splenocytes cells with APC Anti-Mouse MHC I (H-2Kd) Antibody[SF1.1.10] (filled gray histogram) or APC Mouse IgG2a, κ Isotype Control (empty black histogram). Total viable cells were used for analysis.

### **Preparation & Storage**

Storage Keep as concentrated solution.

This product can be stored at 2-8°C for 12 months. Please protected from prolonged

exposure to light and do not freeze.

Shipping Ice bag

## **Antigen Information**

**Alternate Names** MHC class I;H-2Kd

**Uniprot ID** Q31191 Gene ID 14972

# For Research Use Only

Toll-free: 1-888-852-8623 Tel: 1-832-243-6086 Fax: 1-832-243-6017 Web:www.elabscience.com

Email:techsupport@elabscience.com





A Reliable Research Partner in Life Science and Medicine

**Background** 

The SF1-1.1 antibody reacts with the H-2Kd MHC class I alloantigens expressed on nucleated cells from mice of the H-2Kd haplotype. H-2Kd is involved in antigen presentation to T cells expressing CD3/TCR and CD8 proteins.

Fax: 1-832-243-6017