A Reliable Research Partner in Life Science and Medicine

Purified Anti-Mouse/Human CD11b Antibody[M1/70]

catalog number: E-AB-F1081A

Note: Centrifuge before opening to ensure complete recovery of vial contents.

Description

Reactivity Human; Mouse

Host Rat

 $\begin{tabular}{lll} \textbf{Isotype} & Rat IgG2b, \kappa \\ \textbf{Clone} & M1/70 \end{tabular}$


Buffer Phosphate-buffered solution, pH 7.2, containing 0.05% non-protein stabilizer. Dialyze

to completely remove the stabilizer prior to labeling.

Applications Recommended Dilution

FCM $2 \mu g/mL(1 \times 10^5 - 5 \times 10^5 \text{ cells})$

Data



C57/BL6 Mouse bone marrow cells were stained with 0.2 μg Purified Anti-Mouse/Human CD11b Antibody[M1/70] (Right) and 0.2 μg Rat IgG2b, κ Isotype Control (Left), followed by PE-conjugated Goat Anti-Rat IgG Secondary

Antibody.

Preparation & Storage

Storage Storage Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze /

thaw cycles.

Shipping Ice bag

Background

CD11b is a 170 kD glycoprotein also known as αM integrin, Mac-1 α subunit, Mol, CR3, and Ly-40. CD11b is a member of the integrin family, primarily expressed on granulocytes, monocytes/macrophages, dendritic cells, NK cells, and subsets of T and B cells. CD11b non-covalently associates with CD18 ($\beta 2$ integrin) to form Mac-1. Mac-1 plays an important role in cell-cell interaction by binding its ligands ICAM-1 (CD54), ICAM-2 (CD102), ICAM-4 (CD242), iC3b, and fibrinogen.

For Research Use Only

Fax: 1-832-243-6017